

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	229	((wait) with (transfer or write)) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 15:33
L2	15	((wait) with (transfer or write)) and (711/114 and (711/165 or 711/161)).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 15:30
L3	78	((wait) with (transfer or write) with (time)) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 15:42
L4	16	((wait) with (transfer or write) with (time) with (period)) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 15:42
L5	62	3 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 15:42
L6	1616	((read or load or access) near (write or store) near (prohibit\$3 or protect\$3 or inhibit\$3 or prevent\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 16:33
L7	16	6 and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 16:33
S1	2	"20050120175".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/30 12:58

S5	661	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:18
S6	407	(711/161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:18
S7	1153	(711/163).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:18
S8	1803	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 10:51
S9	7242982	(data or file or info or information or block or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:17
S10	6467961	(move or moving or moved or transfer or transferring or transfered or send)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:17
S11	4221972	(dasd or disk or disc or drive or "storage device" or "storage area")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:17
S12	1496989	(reliable or reliability or dependable or dependability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:18

S13	201148	((access limit\$3) or "read only" or "read protect" or "write protect" or "modify protect")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 14:37
S14	1635940	(stage or staging or "de-stage" or "de-staging")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:17
S15	2135985	(remove or "move back" or "transfer back" or "write back to" or (write near3 original))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 12:47
S16	4002896	(back or original)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:18
S17	1506	(711/112).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 13:19
S18	4884	(S5 or S6 or S7 or S8 or S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:20
S19	82	S8 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:20
S20	42	S8 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:21

S21	9	S5 and S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:08
S22	0	S13 and ((S16 near3 S10) with (S12 near3 S11))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:13
S23	0	S13 and ((S16 near3 S10) same (S12 near3 S11))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:14
S24	7	S13 and ((S16 with S10) same (S12 with S11))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:17
S25	3303	S13 and ((S16 with S10) same S11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:20
S26	135	S25 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:18
S27	1749	S13 and ((S16 near3 S10) same S11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:38
S28	76	S27 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:22

S29	7240	((access limit\$3) or "read prohibit" or "write prohibit" or "read protect" or "write protect")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/31 14:38
S30	153	S29 and ((S16 near3 S10) same S11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:54
S31	2	S30 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:44
S32	4	S30 and "711".cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:45
S33	55	("2000112822" "1237087" "1027070" "1011228" "20030004981" "12370872" "10011228" "10027070" "5392244" "5537588" "5584018" "5893139" "6446161" "6691136" "6792503" "6826665" "20020166026" "20040073677").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:25
S34	1808	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 10:53
S35	132	((reliable or reliability) near2 (more or less or greater or lower)) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 12:47
S36	661	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 10:55

S37	8	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 10:59
S38	3763	(ata or sata or ide or eide).u/c. with (scsi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 11:09
S39	0	((reliable or reliability) near2 (more or less or greater or lower)) with S38) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 11:10
S40	3	((reliable or reliability) with S38) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 11:11
S41	2470416	(restor\$3 or remove or "move back" or "transfer back" or "write back to" or (write near3 original))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 12:48
S42	4224379	(dasd or disk or disc or drive or "storage device" or "storage area")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 12:49
S43	26446	S42 near3 S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 13:37
S44	248	S43 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 12:50

S45	23	S44 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 12:50
S46	2137406	(remove or "move back" or "transfer back" or "write back to" or (write near3 original))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 13:37
S47	19293	S42 near3 S41 with S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 13:38
S48	7252	((access limit\$3) or "read prohibit" or "write prohibit" or "read protect" or "write protect")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 13:38
S49	10	S42 near3 S41 with S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 13:39
S50	17	S42 near3 S41 same S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:10
S51	4224379	(dasd or disk or disc or drive or "storage device" or "storage area")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:11
S52	23317	S51 near2 (protect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:25

S53	1154	(711/163).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:14
S54	78	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:15
S55	108	S52 and (S53 or 711/164.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:26
S56	93	S51 near2 (protect\$3 and (unprotect\$3 or nonprotect\$2 or "not protect\$3"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:42
S57	5	S56 and (S53 or 711/164.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/01 15:27
S58	272698	((low speed) or (slow\$3) or (lo speed)) same ((high speed) or (hi speed) or (fast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:16
S59	4224379	(dasd or disk or disc or drive or "storage device" or "storage area")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:16
S60	56161	S58 same S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:17

S61	661	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:18
S62	1808	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:18
S63	1154	(711/163).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:18
S64	183	(S63 or S62 or S61) and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:18
S65	2137406	(remove or "move back" or "transfer back" or "write back to" or (write near3 original))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/02 16:18
S66	58	S64 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:16
S67	125	S64 not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:17
S68	7262	((access limit\$3) or "read prohibit" or "write prohibit" or "read protect" or "write protect")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18

S69	272870	((low speed) or (slow\$3) or (lo speed)) same ((high speed) or (hi speed) or (fast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S70	4226582	(dasd or disk or disc or drive or "storage device" or "storage area")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S71	56183	S69 same S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S72	665	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S73	1812	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S74	1156	(711/163).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S75	183	(S74 or S73 or S72) and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S76	2138566	(remove or "move back" or "transfer back" or "write back to" or (write near3 original))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18

S77	58	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:21
S78	125	S75 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:22
S79	0	S78 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:18
S80	1	S75 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/06 14:21
S81	27	("4703422" "4771375" "5155835" "5193171" "5313631" "5367698" "5404478" "5426752").PN. OR ("5579507"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2005/09/06 16:06
S82	9	("5392244" "5566316" "5587948" "6006308" "6098128" "6163856" "6199150" "6289471" "6330621").PN. OR ("6826665"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2005/09/07 15:18
S83	1812	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 15:57
S84	7262	((access limit\$3) or "read prohibit" or "write prohibit" or "read protect" or "write protect")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:46
S85	30	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:47

S86	1156	(711/163).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 15:58
S87	42	S83 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 15:58
S88	40	S87 not S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:21
S89	665	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:21
S90	9	(S87 not S85) and S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:21
S91	1	S83 and S84 and S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:41
S92	29	S85 not (S90 or S91)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:44
S97	11198	((access limit\$3) or ((read or write) near (prohibit)) or ((read or write) near protect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 11:31

S99	51	S97 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:47
S10 0	49	S99 not (S90 or S91)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/07 16:48
S10 1	359	((read) near (prohibit\$3 or protect\$3)) and ((write) near (prohibit\$3 or protect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 12:13
S10 2	1819	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 11:33
S10 3	1	S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 11:36
S10 4	5	S101 and (711/112.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 11:36
S10 5	665	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 12:06
S10 6	4	S101 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 12:06

S10 7	6477648	(move or moving or moved or transfer or transferring or transfered or send)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 16:25
S10 8	11213	((access limit\$3) or ((read or write) near (prohibit)) or ((read or write) near protect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 16:25
S10 9	642	S108 with S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:45
S11 0	286	S108 near5 S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:25
S11 1	665	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 16:26
S11 2	409	(711/161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 16:26
S11 3	1158	(711/163).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 16:26
S11 4	1819	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 16:26

S11 5	13	S110 and (S111 or S112 or S113 or S114)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:26
S11 6	25	S109 and (S111 or S112 or S113 or S114)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:26
S11 7	12	S116 not S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:44
S11 8	359	((read) near (prohibit\$3 or protect\$3)) and ((write) near (prohibit\$3 or protect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/08 16:45
S11 9	291	S118 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:46
S12 0	161	(S118 and S107) and (S107 with (read or write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:03
S12 5	6477648	(move or moving or moved or transfer or transferring or transfered or send)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/09 11:03
S12 6	665	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/09 11:03

S12 7	409	(711/161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/09 11:03
S12 8	1158	(711/163).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/09 11:03
S12 9	1819	(711/114).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/09 11:03
S13 0	359	((read) near (prohibit\$3 or protect\$3)) and ((write) near (prohibit\$3 or protect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/09 11:06
S13 1	161	(S130 and S125) and (S125 with (read or write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:05
S13 2	19	S131 and (S126 or S127 or S128 or S129)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:04
S13 3	5	((read) near (prohibit\$3 or protect\$3)) with S125) and (((write) near (prohibit\$3 or protect\$3)) with S125)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/09 11:07
S13 4	1740	((read or load or access) near (prohibit\$3 or protect\$3 or inhibit\$3 or prevent\$3)) and ((write or store) near (prohibit\$3 or protect\$3 or inhibit\$3 or prevent\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 13:41

S13 5	11	S134 and 711/165.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 12:20
S13 6	665	(711/165).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 12:21
S13 7	409	(711/161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 12:21
S13 8	18	S134 and (S136 or S137)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 13:41
S13 9	3	"6701411".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 12:28
S14 0	72090	((read or load or access) near (prohibit\$3 or protect\$3 or inhibit\$3 or prevent\$3)) or ((write or store) near (prohibit\$3 or protect\$3 or inhibit\$3 or prevent\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/13 16:32
S14 1	126	S140 and (S136 or S137)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 13:45
S14 2	108	S141 not S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 17:31

S14 3	2	"6658541".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 17:32
S14 4	2	"20020059324".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/12 17:32